

No: S.11011/23/2009-CGHS D.II/Hospital Cell (Part IX)
Government of India
Ministry of Health & Family Welfare
Department of Health & Family Welfare

Maulana Azad Road, Nirman Bhawan New Delhi 110 108 dated the 13th December 2011.

<u>OFFICE MEMORANDUM</u>

Subject: Fire Audit of Private Hospitals / Diagnostic Laboratories / Imaging Centres empanelled under CGHS

With reference to the above mentioned subject the undersigned is directed to state that in view of the recent fire accident in a private hospital in Kolkata, it is considered necessary to review the fire safety measures undertaken by the Private Hospitals / Diagnostic Laboratories / Imaging Centres empanelled under CGHS.

- 2. Accordingly Private Hospitals / Diagnostic Laboratories / Imaging Centres empanelled under CGHS are requested that:
 - i. A copy of N.O.C. issued / renewed by the concerned Fire Department may be submitted to Addl.Director / Joint Director of CGHS concerned.
 - ii. Fire safety provisions installed at the Institution to deal with Fire Accidents may be reviewed immediately in consultation with Fire Department and gaps seen may be plugged.
 - iii. Steps / Drills may be put in place to prevent Leakage of Radiation in case of centres dealing with Radio-active isotopes.
 - iv. Nodal officers / persons may be identified and specific responsibility fixed for each of them to take necessary action in case of Fire Accident
 - v. The identified staff may be got trained accordingly in consultation with Fire Department.
 - vi. Necessary mock drills may also be organized periodically to see that systems respond in time in case of disaster.
- 3. You are requested to take necessary time bound action in this regard under intimation to Director, CGHS.

(V.P.Singh)

Deputy Secretary to Government of India

Tel 011-23061831

To

- 1. All Medical Superintendants / Directors / Proprietors , CGHS Empanelled Hospitals / Diagnostic Labs / Imaging Centres
- 2. Director, CGHS, Nirman Bhawan, New Delhi